è



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 4:

C12P 21/00, C12N 1/20, 5/02

C12N 15/00

(11) International Publication Number: WO 89/ 06694

(43) International Publication Date: 27 July 1989 (27.07.89)

(21) International Application Number: PCT/US89/00138

(22) International Filing Date: 13 January 1989 (13.01.89)

(31) Priority Application Number: 144,468

(32) Priority Date: 15 January 1988 (15.01.88)

(33) Priority Country:

(71) Applicant: TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA [US/US]; Office of Research Administration, 133 South 36th Street, Suite 417 (Mellon Bank Building), Philadelphia, PA 19104 (US).

(72) Inventor: KAUFFMAN, Stuart, A.; 615 Old Gulph Road, Bryn Mawr, PA 19010 (US).

(74) Agent: CALDWELL, John, W.; Woodcock, Washburn, Kurtz, Mackiewicz & Norris, One Liberty Place, 46th Floor, Philadelphia, PA 19104 (US).

(81) Designated States: BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent).

JP, SE (European patent).

Published

With international search report.

(54) Title: PROCESS FOR SELECTION OF PROTEINACEOUS SUBSTANCES WHICH MIMIC GROWTH-INDU-CING MOLECULES

(57) Abstract

A method of selecting proteinaceous substances produced by recombinant DNA technique which mimic an arbitrary growth-inducing molecule is disclosed. Also disclosed is a method of selecting cells which produce proteinaceous substances which mimic an arbitrary growth-inducing molecule. A process for selecting synthetic genes which codes for a proteinaceous substance which mimics a growth-inducing molecule is also provided. The proteinaceous substances produced by this method are believed to be useful as novel drugs, vaccines, diagnostic agents or similar purposes.

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
ΑŪ	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
ČĞ	Congo ·	KR	Republic of Korea	SN	Senegal
CH	Switzerland	Ш	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
DE	Germany, Federal Republic of	LU	Luxembourg	TG	Togo
DK	Denmark	MC	Monaco	US	United States of America
אמ	Finland	MC	Madagaccar		•

10

20

25

Process For Selection Of Proteinaceous Substances Which Mimic Growth-Inducing Molecules

Field of the Invention

novel biologically active proteinaceous substances which can be used as drugs, vaccines, diagnostic agents or similar treatments. The invention is more particularly directed to methods of selecting novel biologically active proteinaceous substances produced by recombinant DNA technique which mimic growth-inducing molecules of interest.

Background of the Invention

Contemporary recombinant DNA techniques scientists the capacity to generate large numbers of novel DNA sequences, RNA sequences, peptides, polypeptides and proteins. Some of these novel molecules, by mimicing their natural counterparts, have practical, biologically active properties and can be used as the basis for novel vaccines, possible tailored treatments for autoimmune diseases and new diagnostic reagents as well as other uses. Although large numbers of novel DNA sequences, RNA sequences, peptides, polypeptides and proteins such as those generated by Ballivet and Kauffman, U.S. application 942,630 filed 6/17/85, which is specifically incorporated herein by reference, can be produced, not all novel molecules produced by recombinant DNA technique are biologically active. Consequently, there exists a need for processes for quickly and easily screening those cells which produce biologically active molecules.

Some types of tumors have been found to proliferate by means of an autocrine mechanism or growth stimulating feedback loop. With this mechanism, a cell which has a receptor for a growth-inducing molecule will be 5 stimulated to grow and divide by producing and secreting that same growth-inducing molecule which then binds to the receptor on or in the same cell. For example, some neoplastic transformation of cells by oncogenes and carcinogens is believed to result in the production of 10 growth factors. Some of these growth factors are able to bind to the receptors on the cell that secretes them, and to induce behavior indicative of a transformed phenotype which grows and divides uncontrollably. These findings have demonstrated an autocrine mechanism of transformation 15 whereby production and secretion of growth factors by the cell which then bind to its own receptors by that factor leads to uncontrolled stimulation of the cell's own growth.

Stern et al. (Science 235: 321-324, 1987)
constructed in a vector a novel oncogene which expressed
human epidermal growth factor (EGF). This expression
vector was transformed into a population of cells which had
EGF receptors on their surfaces. The translation product
of this novel oncogene was secreted from each transformed
cell and induced focus formation by binding to the cell's
own EGF receptor. Thus focus formation is the consequence
of autocrine loop closure and chronic autocrine
stimulation.

In view of the foregoing, it is desired to provide rapid, easy methods for selecting proteinaceous substances which mimic growth-inducing molecules, methods for selecting cells which produce proteinaceous substances which mimic growth-inducing molecules and methods for selecting synthetic genes which code for proteinaceous substances which mimic growth-inducing molecules.

35

Summary of the Invention

This invention is directed to methods for selecting proteinaceous substances which mimic growthinducing molecules. The proteinaceous substances can be 5 peptides, polypeptides or proteins. The choice of growthinducing molecule is arbitrary, since the method of the invention is not restricted to any particular type of growth-inducing molecule. Specific examples include epidermal growth factor (EGF), dexamethasone and antigens. 10 Cells which require a growth-inducing molecule to stimulate cell growth and division and which have been transformed by recombinant DNA technique to secrete proteinaceous substances not normally secreted by the cells are supplied with a growth medium deficient in the growth-inducing 15 molecule and the cells are then grown in the medium. subset of cells which grow and divide are then collected and the proteinaceous substance produced by the subset of cells is then isolated. In preferred embodiments of the invention the proteinaceous substances are the translation 20 products of the synthetic genes in the expression vector.

Novel peptides, polypeptides or proteins which mimic the growth-inducing molecule will bind to the receptor for the molecule, thus closing the autocrine loop and stimulating cell growth and division. This process allows the rapid and easy detection of cells which secrete a peptide, polypeptide or protein with the desired growth-inducing property. Rapid, easy detection is essential when dealing with large numbers of molecules which potentially have growth-inducing activity.

The invention is also directed to methods of selecting cells which produce a proteinaceous substance which mimics a growth-inducing molecule. Cells which require a growth-inducing molecule to stimulate cell growth and division and which cells have been transformed by recombinant DNA technique to produce proteinaceous substances not normally produced by the cells are supplied with a growth medium deficient in the growth-inducing molecule. The cells are then grown in the medium and the

subset of cells which grow and divide are then isolated. In preferred embodiments of the invention the proteinaceous substances are the translation products of the synthetic genes in the expression vector.

The invention further relates to processes for selecting synthetic genes which code for a proteinaceous substance which mimics a growth-inducing molecule. Expression vectors which contain synthetic genes which code for a proteinaceous substance are used to transform cells 10 which require a growth-inducing molecule to stimulate cell growth and division thereby causing the cells to produce a proteinaceous substance which is the translation product of the synthetic genes in the expression vector. transformed cells are grown in a growth medium deficient in 15 the growth-inducing molecule. The subset of cells which grow and divide are then isolated. The subset of cells containing an expression vector comprising synthetic genes which mimic the growth-inducing molecule of interest are generally the only cells which grow and divide and can be easily harvested. 20

Detailed Description of the Invention

The term synthetic genes refers to DNA sequences which are the result of manipulation by laboratory techniques. The term natural gene refers to DNA sequences as they are found in situ in a chromosome. Synthetic genes include stochastic (random) or partially stochastic DNA sequences as well as DNA sequences which are composed of parts of a natural DNA sequence and stochastic DNA sequences or particular nucleotides. The term synthetic gene also includes DNA sequences composed of a plurality of DNA sequences derived from natural genes.

The term recombinant DNA technique refers to the techniques of producing synthetic genes, inserting the DNA sequences into expression vectors, and transforming cells
with expression vectors. Illustrations of the recombinant DNA technique used in the invention are set forth in detail below in the section entitled Recombinant DNA Technique

which has two subsections, A.Production of Synthetic Genes and B. Transformation of Cells.

Recombinant DNA Technique

Although a large number of methodologies may be employed in the practice of the invention, the following are illustrative of certain, preferred embodiments.

A. Production of Synthetic Genes

Commercially available, prepared restriction enzyme linkers which can be ligated in random order and 10 generate codons for all twenty amino acids without generating stop codons in any reading frame or in either orientation (e.g. octameric linkers purchased from New England Biolabs) are used in the invention. Examples of linkers suitable for use in the invention include ClaI, 15 NdeI, HindIII, SalI, PstI and EcoRI. Equimolar or other mixtures of the linkers are ligated together using T4-DNA ligase (Boehringer and Mannheim Biochemicals) using the procedure of Maniatis et al., Molecular Cloning, A Laboratory Manual, (Cold Spring Harbor Laboratory, 1982), 20 which is specifically incorporated herein by reference. After ligation is complete, the ligated linkers are partially digested with one or several of the restriction enzymes for any of the linkers used to make the sequences such as EcoRI enzyme (Boehringer and Mannheim Biochemicals) according to the manufacturer's instructions. The digested 25 mixture is then separated on a gel such as a 0.7% agarose gel using a standard borate buffer system according to the method of Maniatis (see reference above). The fragments of desired size range(s) of DNA sequences are cut from the gel 30 and isolated according to the method of Maniatis et al., (see above reference). The isolated fragments are then cloned into a restriction enzyme cleavage site or sites of an expression vector that causes secretion from the cell of the peptide or protein which is the translation product of the synthetic genes which have been cloned into the expression vector.

For example, the expression vector pUCDS3 constructed according to the method in Stern et al.,

Science 235: 231-235, (1987) which is specifically incorporated herein by reference, can be used in the invention. This expression vector is constructed by modifying pFB1 which consists of a partial Sau 3A fragment containing the Moloney murine leukemia virus long terminal repeat (LTR) cloned into the Bam HI site of pUC13. expression vector was constructed by J. Morgenstern and H. Land of the Whitehead Institute. The single Eco R1 site of pUC1 was destroyed by cleaving with EcoR1, filling in, and religating to produce pFB1 RI. The Nde I-Pst I fragment of immunoglobulin heavy chain complementary DNA clone 17.2.25 of Loh et al., Cell 33: 85, (1983), which is specifically incorporated herein by reference, which contains sequences endcoding the signal peptide, was modified by oligonucleotide-directed mutagenesis according to the method of Dalbadie-McFarland, et al., Proc. Natl. Acad. Sci. U.S.A. 79: 6409, (1982) which is specifically incorporated herein by reference, to create an Eco R1 site. The fragment excised by cleavage at the Ava II site upstream from the coding sequences and at the newly created 20 Eco R1 site was joined to pFB RI cleaved with Sal I and Hind III by using Ava II-pseudo-Sal I and Eco R1-Hind III adapters to yield pUCDS2. A chemically synthesized gene encoding human EGF, prepared according to the method of Hare et al., J. Cell Biochem. Suppl. 8A: 87, (1984), which is specifically incorporated herein, was provided with an Eco R1 site and upstream sequences encoding the first three amino acids of immunoglobulin 17.2.25 and subcloned into pUC8. The Hpa I-Bam HI fragment containing the SV40 polyadenylation site was provided with synthetic Hpa I-Sal I and Bam HI-Hind III adapters and cloned into pUC8 adjacent to the EGF gene. The Eco R1-Hine III fragment containing the EGF gene and polyadenylation site was then cloned into pUCDS2 to produce pUCDS3. The expression vector is modified by removing the fragment containing the 35 epidermal growth factor (EGF) gene using restriction enzymes Sall and EcoRl. The expression vector is then purified by methods known in the art.

20

25

The ligated linkers are partially digested using Sall and EcoRl restriction enzymes and the fragments are purified and isolated as described above. The fragments are then ligated into the purified expression vector using T4-DNA ligase. Other expression vectors which cause the cell to secrete from the cell the peptide or protein coded by the synthetic gene are also useful in the invention. A signal peptide can be cloned into expression vectors without a signal peptide in a position adjacent to the synthetic genes coding for the peptides or proteins to 10 cause the cell to secrete the peptides or proteins using methods known in the art. Signal peptides such as a mouse immunoglobulin heavy-chain signal peptide or the random sequences of Kaiser et al., Science 235: 312-317, (1987) may be used in the invention.

The ligated linkers should be partially digested with the same restriction enzymes used in the expression vector to create the site for the synthetic genes so that the ends of the ligated linkers will fit the restriction enzyme sites. However, if the ligated linkers have not been partially digested in this way, the ends of the fragments can be modified using other cloning procedures known in the art for these and other synthetic genes such as blunt end ligation.

The library of synthetic genes cloned into the expression vectors is then inserted into cells which lack a growth-inducing molecule.

B. Transformation of Cells

Cells can be transfected by methods such as the calcium phosphate coprecipitation method of Wigler et al., 30 Cell 11: 223-232 (1977); the polyethylene glycol 6000 calcium phosphate treatment method of Sutherland and Bennett, Cancer Research 44(7): 2769-2772, (1984), or Sutherland et al., Proc. Natl. Acad. Sci. USA 82(2): 2399-35 2403, (1985); or the electroporation method of Toneguzzo et al., Mol. Cell Biol. 6(2): 703-706, (1986) or Potter et al., Proc. Natl. Acad. Sci 81: 7161-7165, (1984), all of which are specifically incorporated herein by reference.

Cell Culture

Cells which need a growth-inducing molecule to stimulate cell growth and division are suitable for use in the invention. Human diploid fibroblast cells such as WI-38, a cell line which requires the addition of exogenous growth factors to stimulate cell growth and division or B lymphocytes are exemplary for use in this invention. These cells are transformed with expression vector which includes synthetic genes as provided above. In the case of WI-38, the cells are then grown according to the method of Phillips and Cristofalo, Experimental Cell Research 134: 297-302, (1981), except that the medium does not include the growth-inducing molecule which is being sought.

then presumed to be synthesizing a proteinaceous substance which mimics the growth-inducing molecule not included in the medium. This proteinaceous substance is the translation product of the synthetic genes which were inserted into the cell via the expression vector. These cells are isolated and the proteinaceous substance characterized using methods for identifying peptides, polypeptides and proteins known in the art. Methods used to identify the proteinaceous substance will vary according to the type of proteinaceous substance.

25 It is within the scope of the invention to select proteinaceous substances which mimic arbitrary antigens, i.e. the selection method can be used to search for proteinaceous mimics of any antigen of interest. In this case, synthetic genes inserted into an expression vector, such as the system described above, are inserted into B lymphocytes, or other immune system cells, with antibody receptor molecules on their surface against the same external antigenic determinant. If a proteinaceous substance produced by a B lymphocyte which is the translation product of the synthetic genes mimics the antigen, this proteinaceous substance will bind to antibodies on that B lymphocyte which are functioning as This binding of the proteinaceous substance receptors.

which mimics the antigen should stimulate the lymphocyte to divide.

The proteinaceous substances which mimic the growth-inducing molecule of interest are believed to be 5 useful as drugs, vaccines, diagnostics or similar purposes.

It is also within the scope of the invention to select novel genes which produce the proteinaceous substances which mimic the growth-inducing molecule of interest. After a proteinaceous substance has been found 10 which mimics the growth-inducing molecule of interest, the expression vector which carries the genes for the proteinaceous substance is removed from the cells which produce the proteinaceous substance. Then the expression vector is analyzed by methods known in the art to determine 15 the sequence of DNA bases which codes for the proteinaceous substance. Once the base sequence of the gene coding for the proteinaceous substance is known, the base sequence and, correspondingly, the proteinaceous substance can be altered by methods known in the art in order to improve the ability of the proteinaceous substance to mimic the 20 growth-inducing molecule of interest or otherwise to improve the practice of the embodiments of this invention. In the first case, the altered gene is inserted into an expression vector which is then inserted into a cell which lacks a growth-inducing molecule necessary for cell growth The selection procedure which has been and division. previously described for selecting a proteinaceous substance which mimics a growth-inducing molecule is then followed.

25

I claim

- 1. A process for selecting a proteinaceous substance which mimics a growth-inducing molecule comprising the steps of:
- a. providing cells which require a growthinducing molecule to stimulate cell growth and division and
 which have been transformed by recombinant DNA technique to
 secrete proteinaceous substances not normally secreted by
 said cells;
- b. supplying said cells with growth medium deficient in said growth inducing molecule;
 - c. growing said cells in said medium;
 - d. collecting a subset of said cells which grow and divide; and
- e. isolating said proteinaceous substance from said subset of said cells.
 - 2. The process of claim 1 wherein said proteinaceous substance is the translation product of synthetic genes.
- 3. The process of claim 1 wherein said proteinaceous substance is a peptide.
 - 4. The process of claim 1 wherein said proteinaceous substance is a protein.
- 5. The process of claim 1 wherein said growth-25 inducing molecule is epidermal growth factor.
 - 6. The process of claim 1 wherein said growth-inducing molecule is dexamethasone.

- 7. The process of claim 1 wherein said growth-inducing molecule is an antigen.
- 8. The process of claim 1 wherein said cells are a human diploid fibroblast.
- 9. The process of claim 8 wherein said human diploid fibroblast is WI-38.
 - 10. The process of claim 1 wherein said cells are immune system cells.
- 11. The process of claim 10 wherein said immune 10 system cells are B lymphocytes.
- proteinaceous substance which mimics a growth-inducing molecule, said proteinaceous substance being the translation product of synthetic genes introduced into said cells by a recombinant DNA technique, comprising the steps of:
 - a. providing cells which require a growthinducing molecule to stimulate cell growth and division and
 which cells have been transformed by recombinant DNA
 technique to produce proteinaceous substances not normally
 secreted by said cells;
 - b. supplying said cells with a growth medium deficient in said growth-inducing molecule;
 - c. growing said cells in said medium; and
- d. isolating a subset of said cells which grow and divide.

WO 89/06694

- 13. The process of claim 12 wherein said proteinaceous substance is the translation product of synthetic genes.
- 14. The method of claim 12 wherein said 5 proteinaceous substance is a peptide.
 - 15. The method of claim 12 wherein said proteinaceous substance is a protein.
 - 16. The process of claim 12 wherein said growth-inducing molecule is epidermal growth factor.
- 17. The process of claim 12 wherein said growth-inducing molecule is dexamethasone.
 - 18. The process of claim 12 wherein said growth-inducing molecule is an antigen.
- 19. The process of claim 12 wherein said cells
 15 are a human diploid fibroblast.
 - 20. The process of claim 19 wherein said human diploid fibroblast is WI-38.
 - 21. The process of claim 12 wherein said cells are immune system cells.
- 22. The process of claim 21 wherein said immune system cells are B lymphocytes.
 - 23. A process for selecting synthetic genes which code for a proteinaceous substance which mimics a growth-inducing molecule comprising the following steps:
- (a). providing expression vectors which contain synthetic genes which code for a proteinaceous substance;
 - (b). transforming cells which require a growthinducing molecule to stimulate cell growth and division to

include said expression vector thereby causing said cells to produce a proteinaceous substance which is the translation product of said synthetic genes in said expression vector;

- (c). supplying said transformed cells with growth medium deficient in said growth-inducing molecule;
 - (d). growing said transformed cells in said growth medium;
- (d). isolating a subset of said cells which grow 10 and divide;
 - (e). removing said expression vector from said subset of said cells which grow and divide; and
 - (f). analyzing said synthetic genes in said expression vector.
- 24. The process of claim 23 wherein said proteinaceous substance is a peptide.
 - 25. The process of claim 23 wherein said proteinaceous substance is a protein.
- 26. The process of claim 23 wherein said growth-20 inducing molecule is epidermal growth factor.
 - 27. The process of claim 23 wherein said growth-inducing molecule is dexamethasone.
 - 28. The process of claim 23 wherein said growth-inducing molecule is an antigen.
- 29. The process of claim 23 wherein said cells are a human diploid fibroblast.
 - 30. The process of claim 29 wherein said human diploid fibroblast is WI-38.

- 31. The process of claim 23 wherein said cells are immune system cells.
- 32. The process of claim 31 wherein said immune system cells are B lymphocytes.

•••	1. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all)					
According to International Patent Classification (IPC) or to both National Classification and IPC IPC(4): C12P 21/00; C12N 1/20, 5/02, 15/00 U.S.: 435/68, 172.3, 240.26, 240.27, 253						
IL FIELDS	II. FIELDS SEARCHED					
		Minimum Documenta	tion Searched 7			
Classification	n System	CI	assification Symbols			
		435/68, 172.3, 240.2				
U.	s.	536/27	0.4			
		935/13, 32, 71, 83, Documentation Searched other tha	n Minimum Documentation			
		to the Extent that such Documents a	re Included in the Fields Searched B			
Ch	omical	Abstracts Data Bas	se (CAS) 1967-198	9; Biological		
bstrac	ts Dat	a Base (BIOSIS) 1967 aid, Epidermal Growth	-1989. Keywords:	Recombinant		
				1		
	MENTS CO	on of Document, 11 with indication, where appro	printe, of the relevant passages 12	Relevant to Claim No. 13		
Category *	Citatio	on of Document, " wan indication, wall-				
Y,P	See	A, 4,783,412 (BELL) entire document, par and 12.	8 NOVEMBER 1988, ticularly columns	1-32		
Y,P	iss for and tis	EMICAL ABSTRACTS, Volume 1 August 1988 (IT ming growth factor-ß, use in promoting casue culture". See page Abstract No. 36654z, and 06 February 1988.	its cDNA cloning ellular growth in ge 510, column 2, JP, A, 63 28,386	1-32		
Y,P	19	A, 4,743,679 (COHEN 88. See entire docum lumns 13-15.	ET AL) 10 MAY ent, particularly	1-32		
"A" do	ocument definations defined to cume the comment which is cited to come the company of the compan	s of cited documents: 10 ning the general state of the art which is not be of particular relevance ent but published on or after the international ch may throw doubts on priority claim(s) or to establish the publication date of another	"T" later document published after or priority date and not in conficited to understand the principal invention "X" document of particular relevance cannot be considered novel of involve an inventive step "Y" document of particular relevance.	ole or theory underlying the nce; the claimed invention r cannot be considered to		
"O" de	"O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but		"A" document of particular following the cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "A" document member of the same patent family			
later than the priority date claimed						
	TIFICATIO		Date of Mailing of this International	Search Report		
		ompletion of the International Search 1 1989	1 2 MAY 1			
1		ng Authority	Signature of Authorized Officer	~		
1 :	SA/US		THOMAS D. MA	YS		

FURTHER	INFORMATION CONTINUED FROM THE SECOND SHEET	
	•	
Y	BIOLOGICAL ABSTRACTS, Volume 84, No. 5, issued 1 September 1987 (OVE ET AL)	1-32
	"Isolation of an autocrine growth factor from hepatoma HTC-SR cells". See page 614, column 2, the Abstract No. 47733, J.	
	Cell. Physiol. 1987 131(2):165-174.	·
Y	SCIENCE Volume 235, issued 16 January 1987 (STERN ET AL) "Construction of a	1-32
	novel oncogene based on synthetic	
·	sequences encoding epidermal growth factor". See entire document.	
V.	SERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE 1	
This inter	ational search report has not been established in respect of certain claims under Article 17(2) (a)	for the following reasons:
	n numbers . because they relate to subject matter 12 not required to be searched by this A	
	•	•
		•
a D Clai	n numbers , because they relate to parts of the international application that do not compl	· .
	ts to such an extent that no meaningful international search can be carried out 13, specifically:	y with the prescribed requires
		•
		·
} ·		
<u> </u>	•	
1.	n numbers, because they are dependent claims not drafted in accordance with the second	d and third sentences of
PCT	Rule 6.4(a).	
VI. OI	SERVATIONS WHERE UNITY OF INVENTION IS LACKING 2	
This Inter	national Searching Authority found multiple inventions in this international application as follows:	:
		•
. —	all required additional search fees were timely paid by the applicant, this International search repor ne international application.	t covers all searchable claims
	only some of the required additional search fees were timely paid by the applicant, this internationse claims of the international application for which fees were paid, specifically claims:	nal search report covers only
	required additional search fees were timely paid by the applicant. Consequently, this international invention first mentioned in the claims; it is covered by claim numbers:	search report is restricted to
inv	all searchable claims could be searched without effort justifying an additional fee, the International e payment of any additional fee.	el Searching Authority did not
	n Protest	
	additional search fees were accompanied by applicant's protest.	
1 1 I NO	protest accompanied the payment of additional search fees.	

	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
Category *	BIOLOGICAL ABSTRACTS, Volume 84, No. 5,	1-32
	issued 1 September 1987 (OVE ET AL) "Isolation of an autocrine growth factor from hepatoma HTC-SR cells". See page 614, column 2, the Abstract No. 47733, J. Cell. Physiol. 1987 131(2):165-174.	
Y	SCIENCE Volume 235, issued 16 January 1987 (STERN ET AL) "Construction of a novel oncogene based on synthetic sequences encoding epidermal growth factor". See entire document.	1-32
Y	CHEMICAL ABSTRACTS, Volume 104, No. 25, issued 23 June 1986 (KAWASAKI ET AL) "Methods for producing proteins and transformed cells, and DNA constructs for correcting host cell deficiencies and their use". See page 174, column 1, the Abstract No. 220140b, EP, A, 171,142 issued 25 May 1984.	1-32
Y	PROCEEDINGS NATIONAL ACADEMY OF SCIENCES (USA), Volume 82, issued April 1985 (SUTHERLAND ET AL) "Transformation of human cells by DNAs ineffective in transformation of NIH 3T3 cells". See pages 2399-2403.	1-32
Y	PROCEEDINGS NATIONAL ACADEMY OF SCIENCES (USA), Volume 79, issued January 1982 (KAPLAN ET AL) "Transforming growth factor(s) production enables cells to grow in the absence of serum: An autocrine system". See pages 485-489.	1-32
Y	EXPERIMENTAL CELL RESEARCH, Volume 134, issued 1981 (PHILLIPS ET AL) "Growth regulation of W138 cells in a serum-free medium". See pages 297-302.	1-32
Y	CELL, Volume 11, issued May 1977, (WIGLER ET AL) "Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells". See pages 223-232.	1-32
-		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

OTHER: